

POULTRY LINE



## POULTRY PRODUCT INDEX

#### **METABOLISM & PERFORMANCE**

Cod.7145 ALGAE POULTRY Cod.3428 PHYTO G Cod.3214 TOTALVIT PLUS Cod.3216 HEPATEC Cod.3221 SUPER VITALYT Cod.7145 ALGAE POULTRY

#### **STRESS & PEAK PRODUCTION**

Cod.3214 TOTALVIT PLUS Cod.3215 AD3ECK AMINO Cod.3221 SUPER VITALYT Cod.3427 AMINO VIT FORTE Cod.7145 ALGAE POULTRY Cod.3428 PHYTO G

#### **EGSS HATCHABILITY**

Cod.3215 AD3ECK AMINO Cod.7170 EASY EGG

#### LIVER FUNCTION

Cod.3216 HEPATEC Cod.3428 PHYTO G

#### **ANTIOXIDANT**

Cod.3211 VIT-ES 20% ORAL Cod.3213 SELEN E50

#### **SORBITOL ACTIVITY**

Cod.3209 AD3E-ORAL Cod.3210 AD3E-L ORAL Cod.3216 HEPATEC Cod.7145 ALGAE POULTRY Cod.3428 PHYTO G

#### **IMMUNE STIMULATION**

Cod.3212 VIT-ES+ZINC ORAL Cod.3337 VETERAGARD ORAL Cod.7145 ALGAE POULTRY Cod.3213 SELEN E 50 Cod.3215 AD3ECK AMINO Cod.3371 IMA PLUS

#### **GUT HEALTH**

Cod.3337 VETERAGARD ORAL Cod.3370 BIONIL PLUS Cod.3371 IMA PLUS Cod.3372 BACTINIL Cod.7145 ALGAE POULTRY

#### LIPID METABOLISM

Cod.3373 MIXFORT

#### RESPIRATORY TRACT

Cod.7187 LONG EUBRON

### MULTIVITAMIN & MULTIMINERAL SUPPLEMENTATION

Cod.3209 AD3E-ORAL
Cod.3210 AD3E-L ORAL
Cod.3211 VIT-ES 20% ORAL
Cod.3212 VIT-ES+ZINC ORAL
Cod.3213 SELEN E50
Cod.3214 TOTALVIT PLUS
Cod.3219 CALPHO-D PLUS ORAL
Cod.3220 VIT K3
Cod.3221 SUPER VITALYT
Cod.3427 AMINO VIT FORTE
Cod.7170 EASY EGG

#### **MINERAL DEFICIENCES**

Cod.3374 INTRAMIN ORAL Cod.3219 CALPHO-D PLUS ORAL Cod.7170 EASY EGG

#### **B-GROUP VITAMINS DEFICIENCES**

Cod.3213 SELEN E50 Cod.3218 AMINOCOMPLEX Cod.3221 SUPER VITALYT Cod.3337 VETERAGARD ORAL Cod.3427 AMINO VIT FORTE Cod.3370 BIONIL PLUS

#### **K3 DEFICIENCES**

Cod.3220 VIT K3 Cod.3221 SUPER VITALYT Cod.3427 AMINO VIT FORTE

#### ZINC SUPPLEMENTATION

Cod.7187 LONG EUBRON Cod.3212 VIT-ES+ZINC ORAL Cod.3221 SUPER VITALYT Cod.3374 INTRAMIN ORAL

#### **SELENIUM SUPPLEMENTATION**

Cod.3211 VIT-ES 20% ORAL Cod.3212 VIT-ES+ZINC ORAL Cod.3213 SELEN E50

#### **AMINOACIDS SUPPLEMENTATION**

Cod.3215 AD3ECK AMINO Cod.3218 AMINOCOMPLEX Cod.3221 SUPER VITALYT Cod.3427 AMINO VIT FORTE

## ORGANIC ACIDS SUPPLEMENTATION FOR GUT HEALTH

Cod.3337 VETERAGARD ORAL Cod.3370 BIONIL PLUS Cod.3372 BACTINIL

#### **ESSENTIAL OILS SUPPLEMENTATION**

Cod.7187 LONG EUBRON Cod.3428 PHYTO G

## BOTANICAL DERIVED ACTIVE INGREDIENTS SUPPLEMENTATION

Cod.7187 LONG EUBRON Cod.7145 ALGAE POULTRY Cod.3428 PHYTO G

### BETA-GLUCAN & MANNAN OLIGOSACCHARIDE SUPPLEMENTATION

Cod.3221 SUPER VITALYT Cod.3337 VETERAGARD ORAL Cod.3370 BIONIL PLUS Cod.3371 IMA PLUS Cod. 3372 BACTINIL



# AD3E-ORAL

## Composition 🔆

#### Each one L. contains:

Vitamin A (Retinyl palmitate)	100 000 000 u.i
Vitamin D3 (Cholecalciferol)	20 000 000 u.i
Vitamin E (all-rac-α tocopheryl acetate)	20 000 mg
Sorbitol 70%	50 000 mg
1-2 propandyol	20 000 mg
Sorbic Acid	1500 mg
B.H.T	250 mg
Emulsifier	150.000 mg
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevention of deficiencies of vitamins A, D3, E in poultry. With sorbitol activity.

#### **♦** Dosage and administration:

Poultry: 1 liter in 2000-4000 liter of daily drinking water, for 3-5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

### 

1 litre plastic bottle

Produced in Italy



# AD3E-L ORAL

## Composition 🚫

#### Each one L. contains:

Vitamin A (Retinyl palmitate)	50.000.000 u.i
Vitamin D3 (Cholecalciferol)	10.000.000 u.i
Vitamin E (all-rac-α tocopheryl acetate)	10.000 mg
Sorbitol 70%	80.000 mg
1-2 propandyol	20.000 mg
Sorbic Acid	1.500 mg
B.H.T	250 mg
Emulsifier	75.000 mg
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevention of deficiencies of vitamins A, D3, E in poultry. With sorbitol activity.

#### **♦** Dosage and administration:

**Poultry**: 1 liter in 1000 liter of daily drinking water, for 3–5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# VIT-ES 20% ORAL

## Composition 🔇

#### Each one L. contains:

Vitamin E (all-rac-α tocopheryl acetate) 200.000 mg 11.000 mg 1-2 propandyol Selenium (Sodium Selenite) 1.000 mg B.H.T. 250 mg **Emulsifier** 220.000 mg Water (carrier) up to 1L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevention of vitamin E and selenium deficiencies in poultry

#### **♦ Dosage and administration:**

Poultry: 1 liter in 2000-4000 liter of daily drinking water, for 3-5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### 

1 litre plastic bottle

Produced in Italy



# VIT-ES+ZINC ORAL

## Composition 🚫

#### Each one L. contains:

Vitamin E (all-rac-α tocopheryl acetate)	100.000 mg
Emulsifier	250 g
Selenium (Sodium Selenite)	1.000 mg
Zinc (Zinc Sulphate)	10.000 mg
ВНТ	0,1 g
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevention of vitamin E, selenium, and zinc deficiencies in poultry

#### **♦** Dosage and administration:

**Poultry**: 1 liter in 1000 liter of daily drinking water, for 3–5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy




# "SELEN E 50

## Composition 🔇

#### Each one L. contains:

Vitamin E (all-rac-α tocopheryl acetate)	50.000 mg
Vitamin B1 (Thiamine hydrocloride)	800 mg
Vitamin B2 (Riboflavine-5-sodium phosphate)	800 mg
Vitamin B6 (Pyridoxine hydrocloride)	800 mg
Selenium (Sodium selenite)	500 mg
Emulsifier	110.00 mg
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevention of vitamin B deficiencies in poultry. Contains antioxidants to support the immune system.

#### **♦ Dosage and administration:**

Poultry: 50-70 ml in 100 liters of daily drinking water, for 3-5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### 



1 litre plastic bottle

Produced in Italy



# "TOTALVIT PLUS.

## Composition 🔆

#### Each one L. contains:

Lucii one L.	contains:
Vitamin A (Retinyl palmitate)	2.000.000 u.i
Vitamin D3 (Cholecalciferol)	2.000 u.i
Vitamin E (all-rac-α tocopheryl acetate)	650 mg
Vitamin PP	3.500 mg
Vitamin B1 (Thiamine hydrocloride)	420 mg
Vitamin B2 (Riboflavine-5-sodium phosphate)	420 mg
Vitamin B12 (Cyanocobalamin)	1,8 mg
Vitamin B6 (Piridoxine hydrocloride)	300 mg
Acid D-Pantotenic (Calcium D.pantothenate)	1.500 mg
Coline chloride	21.500 mg
L-Glycine	5.000 mg
L-Lysine	5.000 mg
D,L-Methionine	1.300 mg
Inositol	330 mg
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Useful during periods of peak production, and in case of stress.

#### **♦** Dosage and administration:

**Poultry**: 1 ml per 4 liter of drinking water for 5-7 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### √ Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# "AD3ECK AMINO

# Composition 🚫

#### Each one L. contains:

Vitamin A (Retinyl palmitate)	5.400.000 u.i
Vitamin D3 (Cholecalcioferol)	200.000 u.i
Vitamin C (Ascorbic acid)	20.000 mg
Vitamin E (all-rac- $\alpha$ tocopheryl acetate)	20.000 mg
Vitamin K3 (Menadione sodium bisulphite)	15.000 mg
L-Glycine	20.000 mg
L-Lysine	25.000 mg
D,L-Methionine	6.000 mg
L-Threonine	5.000 mg
Emulsifier	75.000 mg
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Use it in the following cases: stress after vaccination, transportation. Improve F.C.R & Hatchability of eggs. Make bird more healthy and support the immune system.

#### **♦ Dosage and administration:**

**Poultry**: 1 ml per 4 liter of drinking water for 5-7 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### ¥ Storage:

Store in a cool and dry place (20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# AMINO COMPLEX.

## Composition 🚫

#### Each one L. contains:

Vitamin B1 (Thiamine hydrochloride)	5.000 mg
Vitamin B2 (Riboflavine-5-sodium phosphate)	5.000 mg
Vitamin B6 (Pyridoxine hydrocloride)	5.000 mg
Vitamin B12 (Cyanocobalamin)	10 mg
D-Panthenol	1.000 mg
Vitamin PP (Nicotinamide)	20.000 mg
Choline Chloride	100.000 mg
Folic Acid	100 mg
L-Lysine	6.400 mg
L-Threonine	5.000 mg
Glycine	5.000 mg
D,L-Methionine	3.300 mg
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevention of B group vitamins and aminoacids deficiencies in poultry

#### → Dosage and administration:

**Poultry**: 1 liter in 1000 liter of daily drinking water, for 3–5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### ¥ Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging

1 litre plastic bottle

Produced in Italy



# "HEPATEC.

## Composition 🔇

#### Each one L. contains:

Vitamin PP	20.000 mg
L-Carnitine	25.000 mg
Betaine	10.000 mg
L-lysine	15.000 mg
D,L-Methionine	10.000 mg
Magnesium Sulphate	5.000 mg
Potassium Citrate	10.000 mg
Sodium Citrate	2.000 mg
Sorbitol	50.000 mg
Water (Carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Support the liver function, improves feed metabolism and utilization which results in better feed conversion, growth and productivity. With sorbitol activity.

#### ★ Dosage and administration:

**Poultry**: 1 ml per 4 liter of drinking water for 5-7 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### **∀** Storage:

Store in a cool and dry place (20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# CALPHO-D PLUS ORAL

# Composition 🚫

#### Each one ml contains:

Vitamin D3 (Cholecalciferol)	40.000 ui
Calcium (Calcium chloride)	3 mg
Phosphorus (Phosphoric acid)	10 mg
Manganese (Manganese sulphate monohydrate)	1.5 mg
Propylene glycol	5 mg
Water (carrier)	up to 1 ml



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Source of vitamin D3, calcium, phosphorus, manganese for poultry

#### → Dosage and administration:

**Poultry**: 1 liter in 5000 liter of drinking water for 3–5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# VIT K3

## Composition 🚫

#### Each one Kg contains:

Vitamin K3 250 g

(Menadione Sodium Bisulphite 51.5%)

(Contains of 128.75 g menadione)

Dextrose (carrier) 750 g



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevent the vitamin K3 deficiency in poultry

#### **♦** Dosage and administration:

**Poultry**: 200-400 g per 1000 liter of drinking water for 3-5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **Product form:**

Powder

#### **∀** Packaging



1 kg plastic jar

Produced in Italy



# "SUPER VITALYT\_

## Composition 🔆

## Each one Kg contains:

Dry yeast extract (saccharomyces cerevisiae) (Beta glucans 25% + Mannans oligosaccharide 20%)	24 000mg
Vitamin A (Retinyl acetate)	3 000 000 I U
Vitamin D3 (Cholecalciferol)	600 000 I U
Vitamin C (Ascorbic acid)	15 000 mg
Vitamin E (all-rac-α tocopheryl acetate)	5 000 mg
Vitamin K3 (Menadione sodium bisulphite, 51%	1000 mg
Menadione)	9
Vitamin B1 (Thiamine mononitrate)	3 000 mg
Vitamin B2 (Riboflavin-5sodium phosphate)	2 500 mg
Vitamin B12 (Cyanocobalamin)	10 mg
Vitamin B6 (Pyridoxine hyrochloride)	1500 mg
Panthotenic Acid	8 000 mg
(Calcium D-pantothenate 98%)	
Niacin	23 000 mg
Folic acid	800 mg
Vitamin H (Biotin)	30 mg
Sodium (Sodium chloride 39%)	2 400 mg
Manganese (Manganese sulphate 30%)	3 000 mg
Zinc (Zinc sulphate 35%)	12 000 mg
Copper (Copper sulphate 25%)	5 000 mg
lodine (Potassium iodide 69%)	6 000 mg
Magnesium (Magnesium sulphate 20%)	18 000 mg
L-Lysine Chloridrate (98%)	3 500 mg
D,L-Methionine (99%)	3 000 mg
Dextrose (carrier)	up to 1 Kg

#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Used to supply the normal feeding in poultry by vitamins, minerals, lysine and Methionine.

### **♦** Dosage and administration:

**Poultry**: 1 kg per 750-1000 liter of drinking water, for 3-5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### **∀** Storage:

Store in a cool and dry place (20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **Product form:**

Powder

#### **Y** Packaging



1 kg plastic jar

Produced in Italy



# VETERAGARD ORAL

## Composition 🔇

#### Each one L. contains:

Eddi olio El	correditio.
Vitamin B1 (Thiamine hydrochloride)	3000 mg
Vitamin B2 (Riboflavine sodium phosphate)	6000 mg
Vitamin B6 (Pyridoxine hydrochloride)	4000 mg
Citric Acid	16000 mg
Malic Acid	3000 mg
Phosphoric Acid	13600 mg
Tartaric Acid	3000 mg
Ascorbic Acid	2000 mg
Sodium potassium tartrate	10000 mg
Sodium Citrate	20000 mg
Potassium citrate	10000 mg
Copper sulphate Pentahydrate	20000 mg
Potassium Chloride	400 mg
Propylene glycol	100000 mg
Dry yeast extract (Saccharomyces cerevisiae)	100.000 mg
(Beta glucan 25% + Mannan oligosaccharide 20%)	
Water (carrier)	up to 1L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Used to improve the poultry gut health and support the immune system

#### ★ Dosage and administration:

**Poultry**: 1 liter per 2000–4000 liter of drinking water, for 3–5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# BIONIL PLUS.

## Composition 🔆

#### Each one L. contains:

Dry yeast extract (Saccharomyces cerevisiae)	100 g
(Beta glucan 25% + Mannan oligosaccharide 20%)	
Vitamin B1(Thiamine hydrochloride)	3 g
Vitamin B2 (Riboflavine sodium phosphate)	6 g
Vitamin B6 (Pyridoxine hydrochloride)	4 g
Citric acid (92%)	16 g
Malic acid (98%)	3 g
Phosphoric acid (85%)	13.6 g
L-Ascorbic acid (98%)	2 g
Sodium citrate(26.37%)	20 g
Potassium citratre(38.28%)	10 g
Potassium chloride(52.42%)	0.4 g
Propylene glicol	100 g
Water (Carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Used to improve the poultry gut health

#### **♦** Dosage and administration:

**Poultry**: 1 liter in 2000-4000 liter of drinking water for 10 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging

1 litre plastic bottle

Produced in Italy



# "IMA PLUS.

## Composition 🔷

#### Each one L. contains:

Saccharomyces cerevisiae extract 100.000 mg

(Beta glucan 25% + Mannan oligosaccaride 20%)

Vitamin E (all-rac-α tocopheryl acetate)30.000 mgGlycine13.000 mg

Propylene glycol 100.000 mg

Water (carrier) up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Contains mannan olighosaccarides and vitamin  ${\sf E}\,$  to support the immune system.

#### → Dosage and administration:

**Poultry**: 1 liter in 4000 liter of drinking water for 3–5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **Product form:**

Liquid

#### **∀** Packaging

1 litre plastic bottle

Produced in Italy



# BACTNIL.

## Composition 🚫

#### Each one L. contains:

Formic acid (85%)	120 g
Lactic acid (80%)	120 g
Citric acid (91%)	100 g
Potassium Iodide (23%)	1 g
Ortophosphoric Acid (85%)	100 g
Glycerol	50 g
Propionic acid	100 g
Saccharomyces cervesiae dry extract	100 g
(Beta glucan 25% + Mannan oligosaccharide 20%)	
Water (carrier)	up to 11



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Acidifier agent to decrease the PH of poultry gut.

#### **♦ Dosage and administration:**

**Poultry**: 1-2 ml per litre of drinking water or 2 litre per ton feed., for 3-5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy




# MIXFORT.

## Composition 🔆

#### Each one ml contains:

Sorbitol	100 mg
L-Carnitine hydrochloride	25 mg
D,L-Methionine	10 mg
Choline Chloride	18.75 mg
Betaine hydrochloride	10 mg
Vitamin B2 (Riboflavin-5-sodium phosphate)	0,02 mg
Water (carrier)	up to 1 ml



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Used for improvement and support to the lipid metabolism.

#### **∀** Dosage and administration:

**Poultry**: 1 lt. in 1000 lt. of daily drinking water, for 3-5 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# INTRAMIN ORAL

## Composition 🔇

#### Each one L. contains:

Calcium (Calcium Chloride)	30.500 mg
Phosphorus (Phosphoric acid)	60.000 mg
Iron (Iron Chloride)	5.500 mg
Cobalt (Cobalt Sulphate)	38 mg
Copper (Copper Chloride)	1.000 mg
Manganese (Manganese Chloride)	4.500 mg
Zinc (Zinc Chloride)	4.800 mg
Potassium (Potassium Chloride)	8.000 mg
Citric Acid	50.000 mg
Water (carrier)	up to 1 L



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Prevention of mineral deficiencies in poultry

#### **♦ Dosage and administration:**

**Poultry**: 1 liter in 500-1000 liter of daily drinking water, for 5-7 days. Repeat if necessary.

Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging

1 litre plastic bottle

Produced in Italy



# "AMINO VIT FORTE.

## Composition 🚫

### Each one L. contains:

	Lucii	OHIE	<b>L</b> .	contains:
Vit A (Retinyl palmitate)				10.000.000 I.U.
Vit D3 (Cholecalciferol)				3.000.000 I.U
Vit E (all-rac-α tocopheryl acet	:ate)			30.000 mg
Vit B1 (Thiamine hydrochloride)				3.000 mg
Vit B2 (Riboflavine-5-sodium p	hosphate	)		2.000 mg
Vit B6 (Pyridoxine hydrochloric	le)			4.000 mg
Vit B12 (Cyanocobalamin)				30 mg
Vit C (Ascorbic acid)				20.000 mg
Vit K3(Menadione sodium bisul	phite)			2.000 mg
D-panthenol				10.000 mg
Nicotinamide				40.000 mg
Biotin				22 mg
Folic Acid				20 mg
Choline Chloride				25.000 mg
Alanine				1.440 mg
Arginine				1.800 mg
Aspartic acid				600 mg
Cysteine				60 mg
Glutamic Acid				5.940 mg
Glycine				11.260 mg
Histidine				720 mg
Iso-Leucine				900 mg
Leucine				1.980 mg
Lysine				11.620 mg
Methionine				10.360 mg
Phenylalanine				1.260 mg
Proline				1.620 mg
Serine				1440 mg
Threonine				900 mg
Tryptophane				80 mg
Tyrosine				100 mg
Valine				900 mg
Sorbic Acid				1000 mg
Glycerol Polyethylene Glycol Ri	cinoleate			25.000 mg
Sorbitol				3.500 mg
B.H.T				500 mg
Water (carrier)				up to 1 L
				•

### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Useful during periods of peak production, and in case of stress. Amino Vit Forte is a well balanced combination of essential vitamins and aminoacids for poultry complementary feeding

#### **♦** Dosage and administration:

Poultry: 1 liter in 2000 liter of daily drinking water, for 3-5 days. Repeat if necessary. Individual needs may vary, depending on the breed, activity and age. Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use. The product may present precipitate or supernatant, which do not compromise the effectiveness of the product.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy




# PHYTO G.

## Composition 🔆

#### Each one L. contains:

Milk thistle (Sylibum marianum L.) dry extract* (25% sylimarine)	10 000 mg
Turmeric (Curcuma longa L.) dry extract* (95%	10 000 mg
curcuminoids)	
Capsicum (Capsicum annuum) dry extract*	2 000 mg
(2,5% capsaicin)	
Anise (Pimpinella anisum) oil	10 000 mg
Thyme (Thymus vulgaris) oil	5 000 mg
Cinnamon (Cinnamomum zeylanicum) oil	1000 mg
Vitamin E (all-rac-α tocopheryl acetate)	20 000 mg
Sorbitol	50 000 mg
Emulsifier	75 000 mg
Potassium sorbate	1800 mg
Calcium acetate	1750 mg
Citric acid	2000 mg
B.H.T.	150 mg
Water (carrier)	up to 1 L
*maltodextrine/colloidal anhydrous silica supported.	'



#### **∀** Type of product:

Complementary feed

#### 

Useful in poultry feeding to improve the broiler's performances. The formula is rich in botanical extracts from milk thistle, turmeric and chili pepper, boostered by essential oils from anise, thyme and cinnamon. With sorbitol activity.

#### ★ Dosage and administration:

Poultry: 1 liter in 4000 liter of daily drinking water, for 3-5 days. Repeat if necessary. Individual needs may vary, depending on the breed, activity and age. Complete the daily ration with complete feeding. Shake before use.

### **∀** Storage:

Store in a cool and dry place (20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use. The product may present precipitate or supernatant, which do not compromise the effectiveness of the product.

#### **∀** Expiry

24 months from production date

#### 

Liquid

#### **∀** Packaging **[**



1 litre plastic bottle 500 ml plastic bottle

Produced in Italy



# ALGAE POULTRY.

## Composition 🔇

#### Each one L. contains:

Chlorella algae (Chlorella spp.) powder 21 875 mg 15 625 mg Spirulina algae (Spirulina platensis) powder 717 250 mg Glycerol Sorbitol 196 875 mg 1500 mg Potassium sorbate Citric acid 1250 mg Water up to 1L

#### **∀** Type of product: Complementary feed

#### **V** Indication:

Useful in poultry feeding to improve the broiler's performances, exert growth-promoting effect, and improve humoral immune response in broiler chicks.

#### **♦** Dosage and administration:

Poultry: 1 liter in 4000 liter of daily drinking water, for 3-5 days. Repeat if necessary. Individual needs may vary, depending on the breed, activity and age. Complete the daily ratio with complete feeding. Shake before use.

#### ¥ Storage:

Store in a cool and dry place(20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

The product may present precipitate or supernatant, which do not compromise the effectiveness of the product.

#### **∀** Expiry

24 months from production date

#### 

Liquid

#### **∀** Packaging

1 litre plastic bottle



Produced in Italy





# "EASYEGG.

# Composition 🔷

#### Each one kg. contains:

Marigold (Calendula officinalis L.) flowers powder	3.000,00 mg
Nettle (Ortica dioica L.) leaves powder	50.000,00 mg
Calcium carbonate	850.000,00 mg
Zinc sulphate monohydrate	1.200,00 mg
Copper sulpahte pentahydrate	25,00 mg
Manganous sulphate monohydrate	75,00 mg
Vitamin A (Retinyl acetate)	10.000 UI
Vitamin D3 (Cholecalciferol)	1.000 UI
Dextrose (Carrier)	up to 1 kg

#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Complementary feed in powder form, useful in poultry feeding to improve egg production, shell quality and strength: with vitamins, calcium, nettle and marigold flowers as natural source of lutein.

### → Dosage and administration:

Poultry: 500g per 25kg of complete feed. Mix accurately with the complete feed. Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding.

### **∀** Storage:

Store in a cool and dry place(20-30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.



#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Powder

#### **∀** Packaging



500g plastic jar

Produced in Italy



## "LONG EUBRON."

## Composition 🔷

#### Each one L. contains:

Eucalyptus (Eucalyptus globulus) oil	15.000 mg
Peppermint (Mentha piperita) oil	13.500 mg
Thyme (Thymus vulgaris) oil	2.500 mg
Clove bud (Eugenia caryophyllata) oil	1.000 mg
Echinacea (Echinacea angustifolia) dry extract*	10.000 mg
Propolis glyceric extract	5.000 mg
Cat's clow (Uncaria tomentosa)	
dry extract (3% alcaloids)*	1.000 mg
Zinc sulphate monohydrate	1.000 mg
Glycerol	50.000 mg
Emulsifier	88.000 mg
Potassium sorbate	1.800 mg
Citric acid	2.000 mg
Water	up to 1 L

<sup>\*</sup>maltodextrine/colloidal anhydrous silica supported.



#### **∀** Type of product:

Complementary feed

#### **∀** Indication:

Unique combination of Broncho active essential oils, Zinc, Cat's clow and Echinacea angustifolia extracts useful to support an optimal immune condition and a health status in broilers houses, especially in case of respiratory tract 's supportive treatments. Enriched with propolis extract

#### → Dosage and administration:

Poultry: 1 liter in 4000 liter of daily drinking water, for 3-5 days. Repeat if necessary. Individual needs may vary, depending on the breed, activity and age.

Complete the daily ration with complete feeding. Shake before use.

#### **∀** Storage:

Store in a cool and dry place(20–30°C), away from heat and direct sunlight. Do not use after the expiry date. The expiry date refers to the product unopened and properly stored. Dispose the product responsibly after use.

The product may present precipitate or supernatant, which do not compromise the effectiveness of the product.

#### **∀** Expiry

24 months from production date

#### **∀** Product form:

Liquid

#### **∀** Packaging



1 litre plastic bottle

Produced in Italy



# Contacts

Andreotti Farmaceutica S.r.l.

45030 Guarda Veneta (RO), Italy

Via Eridania Ovest,65

0425 487127 - 487138

Fax: 0425 487107

email: info@andreottifarmaceutica.it

PEC: and reot tifamaceutica@casellepec.net

www.andreottifarmaceutica.it